



CRICKET NET ENCLOSURE - FOOTING PLAN

FOOTING SCHEDULE

FOOTING TYPE	F1	F2	F3	F4	F5	F6	F7
SIZE / WIDTH	Ø450	Ø300	NOT IN USE	Ø450	Ø450	Ø300	Ø300
DEPTH	1600 (MIN)	1600 (MIN)	-	800 (MIN)	1800 (MIN)	1200 (MIN)	900 (MIN)
REINFORCEMENT	MASS CONCRETE	MASS CONCRETE	-	MASS CONCRETE	MASS CONCRETE	MASS CONCRETE	MASS CONCRETE

LEGEND

- DENOTES 100 THICK RC SLAB
- SL82 MESH TOP (40mm COVER)
- BAR CHAIRS @ 800 MAX CTS
- ON 50mm LEVELING SAND
- ON 150mm CRUSHED ROCK
- ON PREPARED SUB-GRADE
- SC DENOTES SAW CUT

NOTE

SITE SHALL BE STRIPPED A MINIMUM OF 300mm TO GRADE AND THEN PROOF ROLLED WITH A 2 TONNE VIBRATING ROLLER. ALL SOFT SPOTS SHALL BE REMOVED AND REPLACED WITH COMPACTED CLEAN GRANULAR MATERIAL, REFER GENERAL NOTES. COMPACTED BASE SHALL HAVE ACHIEVED A CBR VALUE OF 2%.

PRELIMINARY DRAWING
NOT FOR CONSTRUCTION PURPOSES

P2	AS CLOUDED	BC	21/09/22
P1	EXTENDED SLAB FOR SHED	BC	24/08/22
P0	PRELIMINARY ISSUE	BC	10/08/22
No	Revision	By	Date

THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OF THE ARCHITECTURAL DRAWINGS AND SPECIFICATIONS. NO DIMENSIONS ARE TO BE SCALED.

THIS DRAWING IS COPYRIGHT, AND REMAINS THE PROPERTY OF JYN ENGINEERING CONSULTANTS AND MUST NOT BE COPIED, ALTERED OR USED WITHOUT THE WRITTEN PERMISSION OF JYN ENGINEERING CONSULTANTS.

JYN ENGINEERING CONSULTANTS
Structural and Civil Engineers
105/254 Bay Road Sandringham, Victoria, Australia, 3191
Phone: 613 9086 3728
e-mail: jooyee@jynengineering.com.au

Client



Designed by

B.C.

Drawn by

B.C.

Checked by

J.Y.N.

Date

10-08-22

Project

CRICKET PRACTICE NET
GUY TURNER RESERVE
BAYSWATER

Title

CRICKET NET ENCLOSURE
FOOTING PLAN

Scale

N/A

Job No.

220702

Drawing No.

S3

Rev.

P2